



SIDE ENGINE - CHEF BASE UNITS	3-4
SIDE ENGINE - TWO DRAWER	5-8
MATCHBOX UNITS	9
CASSETTE UNITS	10
REAR ENGINE - CHEF BASE UNITS	11-12
REAR ENGINE - TWO DRAWER	12-13
COMPACT	14
BULK STORAGE	14
SALADETTE	14
FACTORY FITTED OPTIONS	15
ACCESSORIES	16
ABBREVIATION SHEET	18



SIDE ENGINE - CHEF BASE UNITS - COOL COOKLINE							
Product Name	Product Code	Description	Finished Height	Weight Loading	2025 List Price		
VCS	VCS1/HCW	High castors, solid worktop	574 mm	196 kg	£3,460		
Side Engine Drawer Units W1100 x D700 mm	VCS1/CW	Standard castors, solid worktop	503 mm	273 kg	£3,460		
Single drawer Cool Cookline	VCS1/SCW	Small castors, solid worktop	482 mm	498 kg	£3,460		
Cool Cookiii le	VCS1/RW	Rollers & feet, solid worktop	458 mm	299 kg	£3,460		
Catalogue p41	VCS1/SRW	Small rollers & feet, solid worktop	448 mm	300 kg	£3,460		
	VCS1/LW	Locking rollers, solid worktop	458 mm	272 kg	£3,605		
	VCS1/SLW	Small locking rollers, solid worktop	448 mm	272 kg	£3,605		
VLS	VLS1/HCW	High castors, solid worktop	516 mm	196 kg	£3,115		
Shallow Drawer Units W1100 x D700 mm	VLS1/CW	Standard castors, solid worktop	445 mm	273 kg	£3,115		
Single drawer	VLS1/SCW	Small castors, solid worktop	424 mm	498 kg	£3,115		
Cool Cookline	VLS1/RW	Rollers & feet, solid worktop	400 mm	299 kg	£3,115		
Catalogue p45	VLS1/SRW	Small rollers & feet, solid worktop	390 mm	300 kg	£3,115		
	VLS1/LW	Locking rollers, solid worktop	400 mm	272 kg	£3,265		
	VLS1/SLW	Small locking rollers, solid worktop	390 mm	272 kg	£3,265		
HCS A+ Energy Rating	HCS1/HCW	High castors, solid worktop	574 mm	196 kg	£3,205		
Fridge-only Side Engine Drawer Units	HCS1/CW	Standard castors, solid worktop	503 mm	273 kg	£3,205		
W1100 x D700 mm	HCS1/SCW	Small castors, solid worktop	482 mm	498 kg	£3,205		
Single drawer Cool Cookline	HCS1/RW	Rollers & feet, solid worktop	458 mm	299 kg	£3,205		
Catalogue p47	HCS1/SRW	Small rollers & feet, solid worktop	448 mm	300 kg	£3,205		
Cutulogue p47	HCS1/LW	Locking rollers, solid worktop	458 mm	272 kg	£3,355		
	HCS1/SLW	Small locking rollers, solid worktop	448 mm	272 kg	£3,355		
	SIDE ENG	BINE - CHEF BASE UNITS - HOT COOKLII	NE				
VCS	VCS1/HCHS	High castors, heat shield	616 mm	187 kg	£3,835		
Side Engine Drawer Units W1100 x D700 mm	VCS1/CHS	Standard castors, heat shield	545 mm	264 kg	£3,835		
Single drawer	VCS1/SCHS	Small castors, heat shield	524 mm	489 kg	£3,835		
Hot Cookline	VCS1/RHS	Rollers & feet, heat shield	501 mm	290 kg	£3,835		
Catalogue p40	VCS1/SRHS	Small rollers & feet, heat shield	491 mm	291 kg	£3,835		
	VCS1/LHS	Locking rollers, heat shield	500 mm	263 kg	£3,985		
	VCS1/SLHS	Small locking rollers, heat shield	490 mm	263 kg	£3,985		
VLS	VLS1/HCHS	High castors, heat shield	558 mm	187 kg	£3,450		
Shallow Drawer Units W1100 x D700 mm	VLS1/CHS	Standard castors, heat shield	487 mm	264 kg	£3,450		
Single drawer	VLS1/SCHS	Small castors, heat shield	466 mm	489 kg	£3,450		
Hot Cookline	VLS1/RHS	Rollers & feet, heat shield	442 mm	290 kg	£3,450		
Catalogue p44	VLS1/SRHS	Small rollers & feet, heat shield	432 mm	290 kg	£3,450		
	VLS1/LHS	Locking rollers, heat shield	442 mm	263 kg	£3,595		
	VLS1/SLHS	Small locking rollers, heat shield	432 mm	263 kg	£3,595		



	SIDE ENGINE - CHEF BASE UNITS - HOT COOKLINE							
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price			
HCS A+ Energy Rating Fridge-only	HCS1/HCHS	High castors, heat shield	616 mm	187 kg	£3,550			
Side Engine Drawer Units W1100 x D700 mm	HCS1/CHS	Standard castors, heat shield	545 mm	264 kg	£3,550			
Single drawer Hot Cookline	HCS1/SCHS	Small castors, heat shield	524 mm	489 kg	£3,550			
Catalogue p46	HCS1/RHS	Rollers & feet, heat shield	501 mm	290 kg	£3,550			
Cutalogue p40	HCS1/SRHS	Small rollers and feet, heat shield	491 mm	291 kg	£3,550			
	HCS1/LHS	Locking rollers, heat shield	500 mm	263 kg	£3,695			
	HCS1/SLHS	Small locking rollers, heat shield	490 mm	263 kg	£3,695			
		SIDE ENGINE - UNDER COUNTER						
VCS Side Engine Drawer Units	VCS1/HCT	High castors, cover top	565 mm	0 kg	£3,330			
W1100 x D700 mm Single drawer	VCSI/CT	Standard castors, cover top	494 mm	0 kg	£3,330			
Under Counter	VCSI/SCT	Small castors, cover top	473 mm	0 kg	£3,330			
Catalogue p52	VCS1/RT	Rollers & feet, cover top	449 mm	0 kg	£3,330			
	VCS1/SRT	Small rollers & feet, cover top	439 mm	0 kg	£3,330			
	VCS1/LT	Locking roller base, cover top	449 mm	0 kg	£3,480			
	VCS1/SLT	Small locking roller base, cover top	439 mm	0 kg	£3,480			
VLS Shallow Drawer Units	VLS1/HCT	High castors, cover top	507 mm	0 kg	£2,995			
W1100 x D700 mm Single drawer	VLS1/CT	Standard castors, cover top	436 mm	0 kg	£2,995			
Under Counter	VLS1/SCT	Small castors, cover top	415 mm	0 kg	£2,995			
Catalogue p57	VLS1/RT	Rollers & feet, cover top	391 mm	0 kg	£2,995			
	VLS1/SRT	Small rollers & feet, cover top	381 mm	0 kg	£2,995			
	VLS1/LT	Locking roller base, cover top	391 mm	0 kg	£3,140			
	VLS1/SLT	Small locking roller base, cover top	381 mm	0 kg	£3,140			
HCS A+ Energy Rating Fridge-only	HCS1/HCT	High castors, cover top	565 mm	0 kg	£3,090			
Side Engine Drawer Units W1100 x D700 mm	HCS1/CT	Standard castors, cover top	494 mm	0 kg	£3,090			
Single drawer Under Counter	HCS1/SCT	Small castors, cover top	473 mm	0 kg	£3,090			
Catalogue p59	HCS1/RT	Rollers & feet, cover top	449 mm	0 kg	£3,090			
Catalogue pos	HCS1/SRT	Small rollers & feet, cover top	439 mm	0 kg	£3,090			
	HCS1/LT	Locking roller base, cover top	449 mm	0 kg	£3,240			
	HCS1/SLT	Small locking roller base, cover top	439 mm	0 kg	£3,240			



	SIDE ENGINE TWO DRAWER - SOLID WORKTOP - PREP COUNTER								
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price				
VCS Side Engine 2-Drawer	VCS2/HCW	High castor, solid worktop	971 mm	137 kg	£5,975				
Units W1100 x D700 mm Double drawer	VCS2/CW	Standard castor, solid worktop	900 mm	214 kg	£5,975				
Catalogue p70	VCS2/SCW	Small castor, solid worktop	879 mm	439 kg	£5,975				
	VCS2/RW	Rollers & feet, solid worktop	855 mm	240 kg	£5,975				
	VCS2/SRW	Small rollers & feet, solid worktop	845 mm	241 kg	£5,975				
	VCS2/LW	Locking roller base, solid worktop	855 mm	213 kg	£6,125				
	VCS2/SLW	Small locking roller base, solid worktop	845 mm	213 kg	£6,125				
VLS Shallow 2-Drawer Units	VLS2/HCW	High castor, solid worktop	855 mm	137 kg	£5,375				
Side Engine W1100 x D700 mm Double drawer	VLS2/CW	Standard castor, solid worktop	784 mm	214 kg	£5,375				
Catalogue p73	VLS2/SCW	Small castor, solid worktop	763 mm	439 kg	£5,375				
	VLS2/RW	Rollers & feet, solid worktop	739 mm	240 kg	£5,375				
	VLS2/SRW	Small rollers & feet, solid worktop	729 mm	241 kg	£5,375				
	VLS2/LW	Locking roller base, solid worktop	739 mm	213 kg	£5,525				
	VLS2/SLW	Small locking roller base, solid worktop	729 mm	213 kg	£5,525				
HCS A+ Energy Rating Fridge-only	HCS2/HCW	High castor, solid worktop	971 mm	137 kg	£5,525				
Side Engine 2-Drawer Units W1100 x D700 mm Double drawer	HCS2/CW	Standard castor, solid worktop	900 mm	214 kg	£5,525				
Catalogue p74	HCS2/SCW	Small castor, solid worktop	879 mm	439 kg	£5,525				
	HCS2/RW	Rollers & feet, solid worktop	855 mm	240 kg	£5,525				
	HCS2/SRW	Small rollers & feet, solid worktop	845 mm	241 kg	£5,525				
	HCS2/LW	Locking roller base, solid worktop	855 mm	213 kg	£5,675				
	HCS2/SLW	Small locking roller base, solid worktop	845 mm	213 kg	£5,675				



	SIDE ENGINE TWO DRAWER - SOLID WORKTOP - PREP COUNTER							
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price			
COMBO 2-drawer units, combining	VSS2/HCW SVS2/HCW	High castors, solid worktop	913 mm	137 kg	£5,685			
variable temperature, standard & shallow drawers with fridge only	VSS2/CW SVS2/CW	Standard castors, solid worktop	842 mm	214 kg	£5,585			
standard depth drawers. Catalogue p76	VSS2/SCW SVS2/SCW	Small castors, solid worktop	821 mm	439 kg	£5,685			
	VSS2/RW SVS2/RW	Rollers & feet, solid worktop	797 mm	240 kg	£5,685			
	VSS2/SRW SVS2/SRW	Small rollers & feet, solid worktop	787 mm	241 kg	£5,685			
	VSS2/LW SVS2/LW	Locking roller base, solid worktop	797 mm	213 kg	£5,830			
	VSS2/SLW SVS2/SLW	Small locking roller base, solid worktop	787 mm	213 kg	£5,830			
COMBO 2-drawer units, combining	VAS2/HCW AVS2/HCW	High castors, solid worktop	971 mm	137 kg	£5,760			
variable temperature, standard & shallow drawers with fridge only	VAS2/CW AVS2/CW	Standard castors, solid worktop	900 mm	214 kg	£5,760			
standard depth drawers.	VAS2/SCW AVS2/SCW	Small castors, solid worktop	879 mm	439 kg	£5,760			
Side engine W1100 x D700 mm	VAS2/RW AVS2/RW	Rollers & feet, solid worktop	855 mm	240 kg	£5,760			
Catalogue p77	VAS2/SRW AVS2/SRW	Small rollers & feet, solid worktop	845 mm	241 kg	£5,760			
	VAS2/LW AVS2/LW	Locking roller base, solid worktop	855 mm	213 kg	£5,910			
	VAS2/SLW AVS2/SLW	Small locking roller base, solid worktop	845 mm	213 kg	£5,910			
COMBO 2-drawer units, combining	SAS2/HCW ASS2/HCW	High castors, solid worktop	913 mm	137 kg	£5,460			
variable temperature, standard & shallow drawers with fridge only	SAS2/CW ASS2/CW	Standard castors, solid worktop	842 mm	214 kg	£5,460			
standard depth drawers.	SAS2/SCW ASS2/SCW	Small castors, solid worktop	821 mm	439 kg	£5,460			
Side engine W1100 x D700 mm	SAS2/RW ASS2/RW	Rollers & feet, solid worktop	797 mm	240 kg	£5,460			
Catalogue p78	SAS2/SRW ASS2/SRW	Small rollers & feet, solid worktop	787 mm	241 kg	£5,460			
	SAS2/LW ASS2/LW	Locking roller base, solid worktop	797 mm	213 kg	£5,605			
	SAS2/SLW ASS2/SLW	Small locking roller base, solid worktop	787 mm	213 kg	£5,605			



	SIDE ENGINE TWO DRAWER - UNDER COUNTER								
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price				
VCS Side Engine Drawer Units	VCS2/HCT	High castors, cover top	962 mm	0 kg	£5,850				
W1100 x D700 mm Double drawer	VCS2/CT	Standard castors, cover top	891 mm	0 kg	£5,850				
Catalogue p53	VCS2/SCT	Small castors, cover top	870 mm	0 kg	£5,850				
	VCS2/RT	Rollers & feet, cover top	846 mm	0 kg	£5,850				
	VCS2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£5,850				
	VCS2/LT	Locking roller base, cover top	846 mm	0 kg	£5,995				
	VCS2/SLT	Small locking roller base, cover top	836 mm	0 kg	£5,995				
VLS Shallow Drawer Units	VLS2/HCT	High castors, cover top	846 mm	0 kg	£5,270				
W1100 x D700 mm Double drawer	VLS2/CT	Standard castors, cover top	775 mm	0 kg	£5,270				
Catalogue 58	VLS2/SCT	Small castors, cover top	754 mm	0 kg	£5,270				
	VLS2/RT	Rollers & feet, cover top	730 mm	0 kg	£5,270				
	VLS2/SRT	Small rollers & feet, cover top	720 mm	0 kg	£5,270				
	VLS2/LT	Locking roller base, cover top	730 mm	0 kg	£5,415				
	VLS2/SLT	Small locking roller base, cover top	720 mm	0 kg	£5,415				
HCS A+ Energy Rating Fridge-only	HCS2/HCT	High castors, cover top	962 mm	0 kg	£5,420				
Side Engine Drawer Units W1100 x D700 mm	HCS2/CT	Standard castors, cover top	891 mm	0 kg	£5,420				
Double drawer Catalogue p60	HCS2/SCT	Small castors, cover top	870 mm	0 kg	£5,420				
	HCS2/RT	Rollers & feet, cover top	846 mm	0 kg	£5,420				
	HCS2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£5,420				
	HCS2/LT	Locking roller base, cover top	846 mm	0 kg	£5,570				
	HCS2/SLT	Small locking roller base, cover top	836 mm	0 kg	£5,570				



SIDE ENGINE TWO DRAWER - UNDER COUNTER						
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price	
COMBO 2-drawer units, combining	SVS2/HCT VSS2/HCT	High castors, cover top	904 mm	0 kg	£5,570	
variable temperature, standard & shallow drawers with fridge only	SVS2/CT VSS2/CT	Standard castors, cover top	833 mm	0 kg	£5,570	
standard depth drawers.	SVS2/SCT VSS2/SCT	Small castors, cover top	812 mm	0 kg	£5,570	
Side engine W1100 x D700 mm	SVS2/RT VSS2/RT	Rollers & feet, cover top	788 mm	0 kg	£5,570	
Catalogue p63	SVS2/SRT VSS2/SRT	Small rollers & feet, cover top	778 mm	0 kg	£5,570	
	SVS2/LT VSS2/LT	Locking roller base, cover top	788 mm	0 kg	£5,715	
	SVS2/SLT VSS2/SLT	Small locking roller base, cover top	778 mm	0 kg	£5,715	
COMBO 2-drawer units, combining	VAS2/HCT AVS2/HCT	High castors, cover top	962 mm	0 kg	£5,640	
variable temperature, standard & shallow drawers with fridge only	VAS2/CT AVS2/CT	Standard castors, cover top	891 mm	0 kg	£5,640	
standard depth drawers.	VAS2/SCT AVS2/SCT	Small castors, cover top	870 mm	0 kg	£5,640	
Side engine W1100 x D700 mm	VAS2/RT AVS2/RT	Rollers & feet, cover top	846 mm	0 kg	£5,640	
Catalogue p64	VAS2/SRT AVS2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£5,640	
	VAS2/LT AVS2/LT	Locking roller base, cover top	846 mm	0 kg	£5,785	
	VAS2/SLT AVS2/SLT	Small locking roller base, cover top	836 mm	0 kg	£5,785	
COMBO 2-drawer units, combining	SAS2/HCT ASS2/HCT	High castors, cover top	904 mm	0 kg	£5,325	
variable temperature, standard & shallow drawers with fridge only	SAS2/CT ASS2/CT	Standard castors, cover top	833 mm	0 kg	£5,325	
standard depth drawers.	SAS2/SCT ASS2/SCT	Small castors, cover top	812 mm	0 kg	£5,325	
Side engine W1100 x D700 mm Catalogue p65	SAS2/RT ASS2/RT	Rollers & feet, cover top	788 mm	0 kg	£5,325	
	SAS2/SRT ASS2/SRT	Small rollers & feet, cover top	778 mm	0 kg	£5,325	
	SAS2/LT ASS2/LT	Locking roller base, cover top	788 mm	0 kg	£5,475	
	SAS2/SLT ASS2/SLT	Small locking roller base, cover top	778 mm	0 kg	£5,475	



	MATCHBOX UNITS							
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price			
VCM PREP COUNTER Pass Through Units	VCM2/HCW	High castor, solid worktop	971 mm	128 kg	£7,230			
W1120 x D710 mm Double drawer Catalogue p72	VCM2/CW	Standard castor, solid worktop	900 mm	205 kg	£7,230			
Cutuloguo p/2	VCM2/SCW	Small castor, solid worktop	879 mm	430 kg	£7,230			
	VCM2/RW	Rollers & feet, solid worktop	855 mm	231 kg	£7,230			
	VCM2/SRW	Small rollers & feet, solid worktop	845 mm	232 kg	£7,230			
	VCM2/LW	Locking roller base, solid worktop	855 mm	204 kg	£7,380			
	VCM2/SLW	Small locking roller base, solid worktop	845 mm	204 kg	£7,380			
VCM UNDER COUNTER Pass Through Units	VCM2/HCT	High castors, cover top	962 mm	0 kg	£7,105			
W1120 x D710 mm Double drawer Catalogue p56	VCM2/CT	Standard castors, cover top	891 mm	0 kg	£7,105			
cutalogue per	VCM2/SCT	Small castors, cover top	870 mm	0 kg	£7,105			
	VCM2/RT	Rollers & feet, cover top	846 mm	0 kg	£7,105			
	VCM2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£7,105			
	VCM2/LT	Locking roller base, cover top	846 mm	0 kg	£7,250			
	VCM2/SLT	Small locking roller base, cover top	836 mm	0 kg	£7,250			
VCM SINGLE CASSETTE Pass Through Units	VCM1/FBW	Flat base, solid worktop	428 mm	256 kg*	£3,925			
W1120 x D710 mm Single drawer Catalogue p28	VCM1/FBT	Flat base, cover top	419 mm	0 kg	£3,805			
VCM DOUBLE CASSETTE Pass Through Units	VCM2/FBW	Flat base, solid worktop	824 mm	233 kg*	£7,135			
W1120 x D710 mm Double drawer Catalogue p29	VCM2/FBT	Flat base, cover top	815 mm	0 kg	£7,015			



CASSETTE - UNITS TO BE BUILT INTO WORKSTATIONS - SINGLE DRAWER							
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price		
VCS single Side Engine Drawer Units	VCS1/FBW	Flat base, solid worktop	428 mm	301 kg*	£3,360		
W1100 x D700 mm Catalogue p24	VCS1/FBT	Flat base, cover top	419 mm	0 kg	£3,235		
VLS single Shallow Drawer Units	VLS1/FBW	Flat base, solid worktop	369 mm	301 kg*	£3,040		
W1100 x D700 mm Catalogue p30	VLS1/FBT	Flat base, cover top	360 mm	0 kg	£2,920		
HCS A+ Energy Rating Fridge-only single Side Engine Drawer Units	HCS1/FBW	Flat base, solid worktop	428 mm	301 kg*	£3,115		
W1100 x D700 mm Catalogue p32	HCS1/FBT	Flat base, cover top	419 mm	0 kg	£2,995		
VCR single Rear Engine Drawer Units	VCRI/FBW	Flat base, solid worktop	428 mm	306 kg*	£POA		
W878 x D885 mm Catalogue p26	VCRI/FBT	Flat base, cover top	419 mm	0 kg	£POA		
CAS	SETTE - UNITS T	O BE BUILT INTO WORKSTATIONS -	TWO DRAWER				
VCS double Side Engine Drawer Units	VCS2/FBW	Flat base, solid worktop	824 mm	242 kg*	£5,950		
W1100 x D700 mm Catalogue p25	VCS2/FBT	Flat base, cover top	815 mm	0 kg	£5,830		
VLS double Shallow Drawer Units	VLS2/FBW	Flat base, solid worktop	708 mm	242 kg*	£5,370		
W1100 x D700 mm Catalogue p31	VLS2/FBT	Flat base, cover top	699 mm	0 kg	£5,245		
HCS A+ Energy Rating Fridge-only double Side Engine Drawer Units	HCS2/FBW	Flat base, solid worktop	824 mm	242 kg*	£5,515		
Willon x D700 mm Catalogue p33	HCS2/FBT	Flat base, cover top	815 mm	0 kg	£5,400		
COMBO 2-drawer units, combining	VSS2/FBW SVS2/FBW	Flat base, solid worktop	766 mm	242 kg*	£5,665		
variable temperature, standard & shallow drawers with fridge only standard	VSS2/FBT SVS2/FBT	Flat base, cover top	757 mm	0 kg	£5,550		
depth drawers Side engine	AVS2/FBW VAS2/FBW	Flat base, solid worktop	824 mm	242 kg*	£5,780		
W1100 x D700 mm	AVS2/FBT VAS2/FBT	Flat base, cover top	815 mm	0 kg	£5,660		
Catalogue p34	SAS2/FBW ASS2/FBW	Flat base, solid worktop	766 mm	242 kg*	£5,430		
	SAS2/FBT ASS2/FBT	Flat base, cover top	757 mm	0 kg	£5,310		
VCR double Rear Engine Drawer Units	VCR2/FBW	Flat base, solid worktop	824 mm	248 kg*	£POA		
W878 x D885 mm Catalogue p27	VCR2/FBT	Flat base, cover top	815 mm	0 kg	£POA		



	REAR EN	IGINE - CHEF BASE UNITS - COLD COO	KLINE		
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCR	VCR1/HCW	High castors, solid worktop	574 mm	201 kg	£3,635
Rear Engine Drawer Units W878 x D885 mm	VCR1/CW	Standard castors, solid worktop	503 mm	278 kg	£3,635
Single drawer Cool Cookline	VCR1/SCW	Small castors, solid worktop	482 mm	503 kg	£3,635
	VCR1/RW	Rollers & feet, solid worktop	458 mm	304 kg	£3,635
Catalogue p43	VCR1/SRW	Small rollers & feet, solid worktop	448 mm	305 kg	£3,635
	VCR1/LW	Locking rollers, solid worktop	458 mm	277 kg	£3,780
	VCR1/SLW	Small locking rollers, solid worktop	448 mm	277 kg	£3,780
HCR A+ Energy Rating	HCR1/HCW	High castors, solid worktop	574 mm	201 kg	£3,365
Fridge Only Rear Engine Drawer Units	HCR1/CW	Standard castors, solid worktop	503 mm	278 kg	£3,365
W878 x D885 mm	HCR1/SCW	Small castors, solid worktop	482 mm	503 kg	£3,365
Single drawer Cool Cookline	HCR1/RW	Rollers & feet, solid worktop	458 mm	304 kg	£3,365
Catalogue p49	HCR1/SRW	Small rollers & feet, solid worktop	448 mm	305 kg	£3,365
Catalogue p49	HCR1/LW	Locking rollers, solid worktop	458 mm	277 kg	£3,510
	HCR1/SLW	Small locking rollers, solid worktop	448 mm	277 kg	£3,510
	REAR EI	NGINE - CHEF BASE UNITS - HOT COOK	CLINE		
VCR	VCR1/HCHS	High castors, heat shield	616 mm	196 kg	£3,895
Rear Engine Drawer Units W878 x D885 mm	VCR1/CHS	Standard castors, heat shield	545 mm	273 kg	£3,895
Single drawer Hot Cookline	VCR1/SCHS	Small castors, heat shield	524 mm	498 kg	£3,895
	VCR1/RHS	Rollers & feet, heat shield	501 mm	299 kg	£3,895
Catalogue p42	VCR1/SRHS	Small rollers & feet, heat shield	491 mm	300 kg	£3,895
	VCR1/LHS	Locking rollers, heat shield	501 mm	272 kg	£4,040
	VCR1/SLHS	Small locking rollers, heat shield	491 mm	272 kg	£4,040
HCR A+ Energy Rating	HCR1/HCHS	High castors, heat shield	616 mm	196 kg	£3,600
Fridge Only Rear Engine Drawer Units	HCR1/CHS	Standard castors, heat shield	545 mm	273 kg	£3,600
W878 x D885 mm Single drawer	HCR1/SCHS	Small castors, heat shield	524 mm	498 kg	£3,600
Hot Cookline	HCR1/RHS	Rollers & feet, heat shield	501 mm	299 kg	£3,600
Catalogue p48	HCR1/SRHS	Small rollers & feet, heat shield	491 mm	300 kg	£3,600
a mana gara para	HCR1/LHS	Locking rollers, heat shield	501 mm	272 kg	£3,750
	HCR1/SLHS	Small locking rollers, heat shield	491 mm	272 kg	£3,750
		REAR ENGINE - UNDER COUNTER			
VCR	VCR1/HCT	High castors, cover top	565 mm	0 kg	£3,505
Rear Engine Drawer Units W878 x D885 mm	VCR1/CT	Standard castors, cover top	494 mm	0 kg	£3,505
Single drawer Under Counter	VCR1/SCT	Small castors, cover top	473 mm	0 kg	£3,505
	VCR1/RT	Rollers & feet, cover top	449 mm	0 kg	£3,505
Catalogue p54	VCR1/SRT	Small rollers & feet, cover top	439 mm	0 kg	£3,505
	VCR1/LT	Locking roller base, cover top	449 mm	0 kg	£3,655
	VCR1/SLT	Small locking roller base, cover top	439 mm	0 kg	£3,655



REAR ENGINE - FRIDGE ONLY - UNDER COUNTER								
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price			
HCR A+ Energy Rating	HCR1/HCT	High castors, cover top	565 mm	0 kg	£3,235			
Fridge Only Rear Engine Drawer Units	HCR1/CT	Standard castors, cover top	494 mm	0 kg	£3,235			
W878 x D885 mm	HCR1/SCT	Small castors, cover top	473 mm	0 kg	£3,235			
Single drawer	HCR1/RT	Rollers & feet, cover top	449 mm	0 kg	£3,235			
Under Counter	HCR1/SRT	Small rollers & feet, cover top	439 mm	0 kg	£3,235			
Catalogue p61	HCR1/LT	Locking roller base, cover top	449 mm	0 kg	£3,385			
	HCR1/SLT	Small locking roller base, cover top	439 mm	0 kg	£3,385			

REAR ENGINE TWO DRAWER - SOLID WORKTOP - PREP COUNTER							
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price		
VCR	VCR2/HCW	High castor, solid worktop	971 mm	143 kg	£6,280		
Rear Engine 2-Drawer Units W878 x D885 mm	VCR2/CW	Standard castor, solid worktop	900 mm	220 kg	£6,280		
Catalogue p71	VCR2/SCW	Small castor, solid worktop	879 mm	445 kg	£6,280		
Catalogue p/1	VCR2/RW	Rollers & feet, solid worktop	855 mm	246 kg	£6,280		
	VCR2/SRW	Small rollers & feet, solid worktop	845 mm	247 kg	£6,280		
	VCR2/LW	Locking roller base, solid worktop	855 mm	219 kg	£6,425		
	VCR2/SLW	Small locking roller base, solid worktop	845 mm	219 kg	£6,425		
HCR A+ Energy Rating Fridge-only	HCR2/HCW	High castor base, solid worktop	971 mm	143 kg	£5,965		
Rear Engine 2-Drawer Units	HCR2/CW	Standard castors, solid worktop	900 mm	220 kg	£5,965		
W878 x D885 mm	HCR2/SCW	Small castors, solid worktop	879 mm	445 kg	£5,965		
Catalogue p75	HCR2/RW	Rollers & feet, solid worktop	855 mm	246 kg	£5,965		
	HCR2/SRW	Small rollers & feet, solid worktop	845 mm	247 kg	£5,965		
	HCR2/LW	Locking roller base, solid worktop	855 mm	219 kg	£6,115		
	HCR2/SLW	Small locking roller base, solid worktop	845 mm	219kg	£6,115		
COMBO 2-drawer units, combining	VAR2/HCW AVR2/HCW	High castors, solid worktop	971 mm	143 kg	£6,050		
variable temperature, standard & shallow drawers with fridge only standard	VAR2/CW AVR2/CW	Standard castors, solid worktop	900 mm	220 kg	£6,050		
depth drawers Rear engine W878 x D885 mm	VAR2/SCW AVR2/SCW	Small castors, solid worktop	879 mm	445 kg	£6,050		
Catalogue p79	VAR2/RW AVR2/RW	Rollers & feet, solid worktop	855 mm	246 kg	£6,050		
	VAR2/SRW AVR2/SRW	Small rollers & feet, solid worktop	845 mm	247 kg	£6,050		
	VAR2/LW AVR2/LW	Locking roller base, solid worktop	855 mm	219 kg	£6,200		
	VAR2/SLW AVR2/SLW	Small locking roller base, solid worktop	845 mm	219 kg	£6,200		



	REAF	R ENGINE TWO DRAWER – UNDER COUN	ITER		
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCR Rear Engine Drawer	VCR2/HCT	High castors, cover top	962 mm	0 kg	£6,145
Units W878 x D885 mm	VCR2/CT	Standard castors, cover top	891 mm	0 kg	£6,145
Catalogue p55	VCR2/SCT	Small castors, cover top	870 mm	0 kg	£6,145
	VCR2/RT	Rollers & feet, cover top	846 mm	0 kg	£6,145
	VCR2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£6,145
	VCR2/LT	Locking roller base, cover top	846 mm	0 kg	£6,295
	VCR2/SLT	Small locking roller base, cover top	836 mm	0 kg	£6,295
HCR A+ Energy Rating Fridge Only	HCR2/HCT	High castors, cover top	962 mm	0 kg	£5,835
Rear Engine Drawer Units W878 x D885 mm	HCR2/CT	Standard castors, cover top	891 mm	0 kg	£5,835
Catalogue p62	HCR2/SCT	Small castors, cover top	870 mm	0 kg	£5,835
	HCR2/RT	Rollers & feet, cover top	846 mm	0 kg	£5,835
	HCR2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£5,835
	HCR2/LT	Locking roller base, cover top	846 mm	0 kg	£5,985
	HCR2/SLT	Small locking roller base, cover top	836 mm	0 kg	£5,985
COMBO 2-drawer units,	VAR2/HCT AVR2/HCT	High castors, cover top	962 mm	0 kg	£5,915
combining variable temperature, standard & shallow drawers with	VAR2/CT AVR2/CT	Standard castors, cover top	891 mm	0 kg	£5,915
fridge only standard depth drawers	VAR2/SCT AVR2/SCT	Small castors, cover top	870 mm	0 kg	£5,915
Rear engine W878 x D885 mm Catalogue p66	VAR2/RT AVR2/RT	Rollers & feet, cover top	846 mm	0 kg	£5,915
	VAR2/SRT AVR2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£5,915
	VAR2/LT AVR2/LT	Locking roller base, cover top	846 mm	0 kg	£6,065
	VAR2/SLT AVR2/SLT	Small locking roller base, cover top	836 mm	0 kg	£6,065



	VCC - C	COMPACT DEEP ONE DRAWER UNIT	Г		
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCC Compact drawer W450 mm x D800 mm Catalogue p86	VCCI/DCT	Double castors, cover top	845 mm	0 kg	£3,510
	VCC1/HCW	High castors, solid worktop	948 mm	223 kg	£3,510
	vcc1/gcw	General castors, solid worktop	900 mm	294 kg	£3,510

SALADETTE – ADANDE INTEGRATED SALADETTE					
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCS2 Saladette - double drawer side engine - S2 Catalogue p83	VCS2/CW/S2	Standard castors, solid worktop	1160 mm	+	£7,375
VSS2 Combo Saladette - standard above shallow side engine - S2	vss2/cw/s2	Standard castors, solid worktop	1102 mm	-	£6,940
S2 standard saladette (W945 x D389 x H260 mm)				Specify	
S2 Standard worktop D740 mm - 342 mm plating up space in front of saladette				Specify at time	
S2 - 800 Extended worktop D800 mm - 402 mm plating up space in front of saladette				of order	

BULK STORAGE – THREE DRAWER BULK STORAGE					
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCS Side Engine Drawer Units	VCS3/CT	Standard castors, cover top	1288 mm	0 kg	£8,485
W1100 x D700 mm Catalogue p90	vcs3/cw	Standard castors, solid worktop	1297 mm	155 kg	£8,605
VLS Shallow Drawer Units W1100 x D700 mm Catalogue p92	VLS3/CT	Standard castors, cover top	1114 mm	0 kg	£7,645
	VLS3/CW	Standard castors, solid worktop	1123 mm	155 kg	£7,765
HCS A+ Energy Rating Fridge-only Side Engine Drawer Units W1100 x D700 mm Catalogue p93	нсѕз/ст	Standard castors, cover top	1288 mm	0 kg	£7,845
	HCS3/CW	Standard castors, solid worktop	1297 mm	155 kg	£7,965
VCR Rear Engine Drawer Units W878 x D885 mm Catalogue p91	VCR3/CT	Standard castors, cover top	1288 mm	0 kg	£8,900
	VCR3/CW	Standard castors, solid worktop	1297 mm	162 kg	£9,025
HCR A+ Energy Rating Fridge Only	HCR3/CT	Standard castors, cover top	1288 mm	0 kg	£8,240
Rear Engine Drawer Units W878 x D885 mm Catalogue p94	HCR3/CW	Standard castors, solid worktop	1297 mm	162 kg	£8,360



	FAC	TORY FITTED OPTIONS (available only at time of order)	
Product Name	Product Code	Description	List Price
Blast chill	ВС	VCS units only & hydrocarbon refrigerant R290	£1,155
Upstand	US	Upstand to suit standard size solid worktop (excludes VCM)	£63
Extended upstand	EUS	To match the size of the extended worktop (excludes VCM & VCC)	£147
Extended worktop	EW	Max 200 mm left, 200 mm right & 150 mm (excludes VCC)	£389
Extended heat shield	EHS	Max 200 mm left, 200 mm right & 150 mm (excludes VCM & VCC)	£541
Drawer lock	DL	Suitable with all models	£173
Levelling castors/ feet	LC	Set of 4 - standard castor base only (excludes VCC)	£194
Fryer station worktop	FR2	2 Deep fry basket hangers (for VCC only)	£520
	FR4		VCC - £541
	FR4		VCS - £788
	FR4		VLS - £788
	FR4	4 Deep fry basket hangers (excludes VCM)	HCS - £788
	FR4		VCR - £520
	FR4		HCR - £520
Worktop grab handles	н	To be welded to solid or heat shield worktops (excludes VCM & VCC)	£289

		GANTRY OPTIONS - FACTORY FITTED	
Product Name	Product Code	Description	List Price
Single shelf gantry on solid worktop	Single she	elf gantry on solid worktop W1100 x D700 mm	
Worktop	M2	Shelf dimensions: W1100 x D469 x H365 mm above worktop	£1,145
Single shelf gantry on extended worktop	Single she	elf gantry on extended solid worktop - W1700 x D700mm	
oxionada worktop	МЗ	Right hand extension - shelf dims W1700 x D469 x H365mm above worktop	£2,483
	M5	Left hand extension - shelf dims W1700 x D469 x H365mm above worktop	£2,483
Double plate shelf gantry on solid worktop	Double pl	ate shelf gantry on solid worktop W1100 x D700 mm	
,	G1	Plate gantry dims: W1089 x D250 x H750 mm bottom shelf at 450 mm & top shelf at 750 mm above worktop	£1,559



DRAWER MANAGEMENT ACCESSORIES			
Product Name	Product Code	Description	List Price
Gastronorm pan rack	RG	Standard depth drawers	£137
	RL	Shallow depth drawers	£137
Drawer dividers	DD	Standard depth drawers	£37
	LD	Shallow depth drawers	£37
White insulated container	DT	Standard depth drawers	£315
	DS	Shallow depth drawers	£462
	DM	Matchbox drawers	£520
	DC	Compact deep drawer	£462
Beaker rack	PB	Holds 12 pacojet beakers (not suitable for HCS, HCR or VCC)	£68
Gastronorm pans	GN	Stainless steel, polycarbonate or polypropylene GN pans avai	able - POA

Want to find out more about Adande drawers?



Watch the Adande brand film by scanning this QR code



Visit adande.co.uk



# Notes



# **ABBREVIATION SHEET**

### **DRAWER UNIT TYPE**

VCS VCR VCM VCC VLS HCS HCR LS 1, 2 or 3	Standard Drawer (side engine - rectangular footprint) Standard Drawer (rear engine - square footprint) Matchbox or 'Pass Through' Drawer (side engine - rectangular footprint) Compact Drawer (rear engine - narrow footprint) Shallow Drawer (side engine - rectangular footprint) A+ Fridge Drawer (side engine - rectangular footprint) A+ Fridge Drawer (rear engine - square footprint) Saladette (side engine saladette unit - rectangular footprint) Number of Drawer units in a stack, for example, VCS2 means two VCS Drawers, stacked one on top of the other VCR1 refers to a single rear engine Drawer unit
VSS2	Combo unit: Standard above Shallow Drawer (side engine - rectangular footprint)
SVS2	Combo unit: Shallow above Standard Drawer (side engine - rectangular footprint)
VAS2	Combo unit: Standard above A+ Fridge (side engine - rectangular footprint)
AVS2	Combo unit: A+ Fridge above Standard Drawer (side engine - rectangular footprint)
SAS2	Combo unit: Shallow Drawer above A+ Fridge (side engine - rectangular footprint)
ASS2	Combo unit: A+ Fridge above Shallow Drawer (side engine - rectangular footprint)
VAR2	Combo unit: Standard above A+ Fridge (rear engine - square footprint)
AVR2	Combo unit: A+ Fridge above Standard Drawer (rear engine - square footprint)

### BASES FOR ADANDE DRAWER UNITS

Standard Castor Base

LC	Levelling Castor Base (only with Standard Castor Base units)
SC	Small Castor Base
DC	Double Castor Base (Compact units only)
GC	General Castor Base (Compact units only)
HC	High Castor Base (fitted to most Adande® Chef Base drawer units)
R	Roller & Feet Base (under-counter applications)
SR	Small Roller & Feet Base (under-counter applications)
L	Locking Rollers (under-counter applications)
SL	Small Locking Rollers (under-counter applications)
FB	Flat Base (for suiting drawer units, cassette style, into a range or counter)

#### **REFRIGERANT**

R5 R290 Refrigerant (Blast Chill only)
R2 R600a Hydrocarbon Refrigerant

#### TOPS FOR ADANDE DRAWER UNITS

T	Cover Top or Biscuit Tin Lid (non load bearing surface)
W	Solid Worktop (load bearing)
HS	Heat Shield Top (protects worktops exposed to temperatures up to 200°C)
EW	Extended Worktop
EHS	Extended Heat Shield Tops
US	Upstand (fitted to the back of 'W' or 'HS' top)
EUS	Extended Upstand (for 'W' & 'HS' tops)



#### **ABOVE THE WORKTOP OPTIONS**

CS Combi Oven Stand (for Side Engine VCS, VLS & HCS units)
CR Combi Oven Stand (for Rear Engine VCR & HCR units)

M2 Single Shelf Gantry fixed to Solid Worktop

Single Shelf Gantry fixed to Extended Workop (extended to the right)

Single Shelf Gantry fixed to Extended Workop (extended to the left)

Gl Double Shelf Plate Gantry fixed to Solid Worktop

## MISCELLANEOUS OPTIONS (Factory fitted)

BC Blast Chill (VCS units only)

DL Drawer Locks

HI Grab Handles (fitted to Chef Base units, making them easier to pull out for cleaning)

FR2 Fry Basket Rack with 2 hangers and drip tray (VCC only)

FR4 Fry Basket Rack with 4 hangers and drip tray (VCC, VCS, VCR, HCS, HCR & VLS units)

CO Can Opener (fitted to units with Solid Worktops only)

#### **ACCESSORIES**

RG Gastronorm Pan Racks (VCS, VCR, VCM, HCS & HCR units)
RL Gastronorm Pan Racks (VLS Shallow Drawer only)
DD Drawer Divider (VCS, VCR, VCM, HCS & HCR units)
CD Drawer Divider (VCC Compact only)
LD Drawer Divider (VLS Shallow Drawer only)

DT Insulated Drawer Container (VCS, VCR, HCS & HCR units)

DM Insulated Drawer Container (VCM Matchbox)
DC Insulated Drawer Container (VCC Compact)
DS Insulated Drawer Container (VLS Shallow Drawer)

PB Wire Rack to hold 12 Pacojet Beakers (not suitable for A+ Drawers)



Adande® Refrigeration

Registered Office: 45 Pinbush Road | South Lowestoft Industrial Estate | Suffolk | NR33 7NL | UK Tel: +44 (0) 1502 537135 | Fax: +44 (0) 1502 533794 | Email: sales@adande.com