



UK Price List 2024

Rollers included

Contents

	SIDE ENGINE – CHEF BASE UNITS	3-4
	SIDE ENGINE – TWO DRAWER	5-8
	MATCHBOX UNITS	9
	CASSETTE UNITS	10
	REAR ENGINE – CHEF BASE UNITS	11-12
	REAR ENGINE – TWO DRAWER	12-13
	COMPACT	14
	BULK STORAGE	14
	SALADETTE	14
	FACTORY FITTED OPTIONS	15
	ACCESSORIES	16
	RETAIL BORA CABINETS	17
	ABBREVIATION SHEET	19



SIDE ENGINE - CHEF BASE UNITS - COOL COOKLINE

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCS Side Engine Drawer Units W1100 x D700 mm Single drawer Cool Cookline Catalogue p41	VCSI/HCW	High castors, solid worktop	574 mm	196 kg	£3,345
	VCSI/CW	Standard castors, solid worktop	503 mm	273 kg	£3,345
	VCSI/SCW	Small castors, solid worktop	482 mm	498 kg	£3,345
	VCSI/RW	Rollers & feet, solid worktop	458 mm	299 kg	£3,345
	VCSI/SRW	Small rollers & feet, solid worktop	448 mm	300 kg	£3,345
	VCSI/LW	Locking rollers, solid worktop	458 mm	272 kg	£3,490
	VCSI/SLW	Small locking rollers, solid worktop	448 mm	272 kg	£3,490
VLS Shallow Drawer Units W1100 x D700 mm Single drawer Cool Cookline Catalogue p45	VLSI/HCW	High castors, solid worktop	516 mm	196 kg	£3,010
	VLSI/CW	Standard castors, solid worktop	445 mm	273 kg	£3,010
	VLSI/SCW	Small castors, solid worktop	424 mm	498 kg	£3,010
	VLSI/RW	Rollers & feet, solid worktop	400 mm	299 kg	£3,010
	VLSI/SRW	Small rollers & feet, solid worktop	390 mm	300 kg	£3,010
	VLSI/LW	Locking rollers, solid worktop	400 mm	272 kg	£3,155
	VLSI/SLW	Small locking rollers, solid worktop	390 mm	272 kg	£3,155
HCS A+ Energy Rating Fridge-only Side Engine Drawer Units W1100 x D700 mm Single drawer Cool Cookline Catalogue p47	HCSI/HCW	High castors, solid worktop	574 mm	196 kg	£3,095
	HCSI/CW	Standard castors, solid worktop	503 mm	273 kg	£3,095
	HCSI/SCW	Small castors, solid worktop	482 mm	498 kg	£3,095
	HCSI/RW	Rollers & feet, solid worktop	458 mm	299 kg	£3,095
	HCSI/SRW	Small rollers & feet, solid worktop	448 mm	300 kg	£3,095
	HCSI/LW	Locking rollers, solid worktop	458 mm	272 kg	£3,240
	HCSI/SLW	Small locking rollers, solid worktop	448 mm	272 kg	£3,240
SIDE ENGINE - CHEF BASE UNITS - HOT COOKLINE					
VCS Side Engine Drawer Units W1100 x D700 mm Single drawer Hot Cookline Catalogue p40	VCSI/HCHS	High castors, heat shield	616 mm	187 kg	£3,705
	VCSI/CHS	Standard castors, heat shield	545 mm	264 kg	£3,705
	VCSI/SCHS	Small castors, heat shield	524 mm	489 kg	£3,705
	VCSI/RHS	Rollers & feet, heat shield	501 mm	290 kg	£3,705
	VCSI/SRHS	Small rollers & feet, heat shield	491 mm	291 kg	£3,705
	VCSI/LHS	Locking rollers, heat shield	500 mm	263 kg	£3,850
	VCSI/SLHS	Small locking rollers, heat shield	490 mm	263 kg	£3,850
VLS Shallow Drawer Units W1100 x D700 mm Single drawer Hot Cookline Catalogue p44	VLSI/HCHS	High castors, heat shield	558 mm	187 kg	£3,335
	VLSI/CHS	Standard castors, heat shield	487 mm	264 kg	£3,335
	VLSI/SCHS	Small castors, heat shield	466 mm	489 kg	£3,335
	VLSI/RHS	Rollers & feet, heat shield	442 mm	290 kg	£3,335
	VLSI/SRHS	Small rollers & feet, heat shield	432 mm	290 kg	£3,335
	VLSI/LHS	Locking rollers, heat shield	442 mm	263 kg	£3,475
	VLSI/SLHS	Small locking rollers, heat shield	432 mm	263 kg	£3,475



SIDE ENGINE - CHEF BASE UNITS - HOT COOKLINE

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
HCS A+ Energy Rating Fridge-only Side Engine Drawer Units W1100 x D700 mm Single drawer Hot Cookline Catalogue p46	HCSI/HCHS	High castors, heat shield	616 mm	187 kg	£3,430
	HCSI/CHS	Standard castors, heat shield	545 mm	264 kg	£3,430
	HCSI/SCHS	Small castors, heat shield	524 mm	489 kg	£3,430
	HCSI/RHS	Rollers & feet, heat shield	501 mm	290 kg	£3,430
	HCSI/SRHS	Small rollers and feet, heat shield	491 mm	291 kg	£3,430
	HCSI/LHS	Locking rollers, heat shield	500 mm	263 kg	£3,570
	HCSI/SLHS	Small locking rollers, heat shield	490 mm	263 kg	£3,570

SIDE ENGINE - UNDER COUNTER

VCS Side Engine Drawer Units W1100 x D700 mm Single drawer Under Counter Catalogue p52	VCSI/HCT	High castors, cover top	565 mm	0 kg	£3,215
	VCSI/CT	Standard castors, cover top	494 mm	0 kg	£3,215
	VCSI/SCT	Small castors, cover top	473 mm	0 kg	£3,215
	VCSI/RT	Rollers & feet, cover top	449 mm	0 kg	£3,215
	VCSI/SRT	Small rollers & feet, cover top	439 mm	0 kg	£3,215
	VCSI/LT	Locking roller base, cover top	449 mm	0 kg	£3,360
	VCSI/SLT	Small locking roller base, cover top	439 mm	0 kg	£3,360
VLS Shallow Drawer Units W1100 x D700 mm Single drawer Under Counter Catalogue p57	VLSI/HCT	High castors, cover top	507 mm	0 kg	£2,895
	VLSI/CT	Standard castors, cover top	436 mm	0 kg	£2,895
	VLSI/SCT	Small castors, cover top	415 mm	0 kg	£2,895
	VLSI/RT	Rollers & feet, cover top	391 mm	0 kg	£2,895
	VLSI/SRT	Small rollers & feet, cover top	381 mm	0 kg	£2,895
	VLSI/LT	Locking roller base, cover top	391 mm	0 kg	£3,035
	VLSI/SLT	Small locking roller base, cover top	381 mm	0 kg	£3,035
HCS A+ Energy Rating Fridge-only Side Engine Drawer Units W1100 x D700 mm Single drawer Under Counter Catalogue p59	HCSI/HCT	High castors, cover top	565 mm	0 kg	£2,985
	HCSI/CT	Standard castors, cover top	494 mm	0 kg	£2,985
	HCSI/SCT	Small castors, cover top	473 mm	0 kg	£2,985
	HCSI/RT	Rollers & feet, cover top	449 mm	0 kg	£2,985
	HCSI/SRT	Small rollers & feet, cover top	439 mm	0 kg	£2,985
	HCSI/LT	Locking roller base, cover top	449 mm	0 kg	£3,130
	HCSI/SLT	Small locking roller base, cover top	439 mm	0 kg	£3,130



SIDE ENGINE TWO DRAWER – SOLID WORKTOP – PREP COUNTER

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCS Side Engine 2-Drawer Units W1100 x D700 mm Double drawer Catalogue p70	VCS2/HCW	High castor, solid worktop	971 mm	137 kg	£5,775
	VCS2/CW	Standard castor, solid worktop	900 mm	214 kg	£5,775
	VCS2/SCW	Small castor, solid worktop	879 mm	439 kg	£5,775
	VCS2/RW	Rollers & feet, solid worktop	855 mm	240 kg	£5,775
	VCS2/SRW	Small rollers & feet, solid worktop	845 mm	241 kg	£5,775
	VCS2/LW	Locking roller base, solid worktop	855 mm	213 kg	£5,920
	VCS2/SLW	Small locking roller base, solid worktop	845 mm	213 kg	£5,920
VLS Shallow 2-Drawer Units Side Engine W1100 x D700 mm Double drawer Catalogue p73	VLS2/HCW	High castor, solid worktop	855 mm	137 kg	£5,195
	VLS2/CW	Standard castor, solid worktop	784 mm	214 kg	£5,195
	VLS2/SCW	Small castor, solid worktop	763 mm	439 kg	£5,195
	VLS2/RW	Rollers & feet, solid worktop	739 mm	240 kg	£5,195
	VLS2/SRW	Small rollers & feet, solid worktop	729 mm	241 kg	£5,195
	VLS2/LW	Locking roller base, solid worktop	739 mm	213 kg	£5,340
	VLS2/SLW	Small locking roller base, solid worktop	729 mm	213 kg	£5,340
HCS A+ Energy Rating Fridge-only Side Engine 2-Drawer Units W1100 x D700 mm Double drawer Catalogue p74	HCS2/HCW	High castor, solid worktop	971 mm	137 kg	£5,340
	HCS2/CW	Standard castor, solid worktop	900 mm	214 kg	£5,340
	HCS2/SCW	Small castor, solid worktop	879 mm	439 kg	£5,340
	HCS2/RW	Rollers & feet, solid worktop	855 mm	240 kg	£5,340
	HCS2/SRW	Small rollers & feet, solid worktop	845 mm	241 kg	£5,340
	HCS2/LW	Locking roller base, solid worktop	855 mm	213 kg	£5,485
	HCS2/SLW	Small locking roller base, solid worktop	845 mm	213 kg	£5,485
COMBO 2-drawer units, combining variable temperature, standard & shallow drawers with fridge only standard depth drawers. Catalogue p76	VSS2/HCW SVS2/HCW	High castors, solid worktop	913 mm	137 kg	£5,495
	VSS2/CW SVS2/CW	Standard castors, solid worktop	842 mm	214 kg	£5,495
	VSS2/SCW SVS2/SCW	Small castors, solid worktop	821 mm	439 kg	£5,495
	VSS2/RW SVS2/RW	Rollers & feet, solid worktop	797 mm	240 kg	£5,495
	VSS2/SRW SVS2/SRW	Small rollers & feet, solid worktop	787 mm	241 kg	£5,495
	VSS2/LW SVS2/LW	Locking roller base, solid worktop	797 mm	213 kg	£5,640
	VSS2/SLW SVS2/SLW	Small locking roller base, solid worktop	787 mm	213 kg	£5,640



SIDE ENGINE TWO DRAWER – SOLID WORKTOP – PREP COUNTER

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
COMBO 2-drawer units, combining variable temperature, standard & shallow drawers with fridge only standard depth drawers. Side engine W1100 x D700 mm Catalogue p77	VAS2/HCW AVS2/HCW	High castors, solid worktop	971 mm	137 kg	£5,565
	VAS2/CW AVS2/CW	Standard castors, solid worktop	900 mm	214 kg	£5,565
	VAS2/SCW AVS2/SCW	Small castors, solid worktop	879 mm	439 kg	£5,565
	VAS2/RW AVS2/RW	Rollers & feet, solid worktop	855 mm	240 kg	£5,565
	VAS2/SRW AVS2/SRW	Small rollers & feet, solid worktop	845 mm	241 kg	£5,565
	VAS2/LW AVS2/LW	Locking roller base, solid worktop	855 mm	213 kg	£5,710
	VAS2/SLW AVS2/SLW	Small locking roller base, solid worktop	845 mm	213 kg	£5,710
COMBO 2-drawer units, combining variable temperature, standard & shallow drawers with fridge only standard depth drawers. Side engine W1100 x D700 mm Catalogue p78	SAS2/HCW ASS2/HCW	High castors, solid worktop	913 mm	137 kg	£5,275
	SAS2/CW ASS2/CW	Standard castors, solid worktop	842 mm	214 kg	£5,275
	SAS2/SCW ASS2/SCW	Small castors, solid worktop	821 mm	439 kg	£5,275
	SAS2/RW ASS2/RW	Rollers & feet, solid worktop	797 mm	240 kg	£5,275
	SAS2/SRW ASS2/SRW	Small rollers & feet, solid worktop	787 mm	241 kg	£5,275
	SAS2/LW ASS2/LW	Locking roller base, solid worktop	797 mm	213 kg	£5,440
	SAS2/SLW ASS2/SLW	Small locking roller base, solid worktop	787 mm	213 kg	£5,440



SIDE ENGINE TWO DRAWER - UNDER COUNTER

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCS Side Engine Drawer Units W1100 x D700 mm Double drawer Catalogue p53	VCS2/HCT	High castors, cover top	962 mm	0 kg	£5,650
	VCS2/CT	Standard castors, cover top	891 mm	0 kg	£5,650
	VCS2/SCT	Small castors, cover top	870 mm	0 kg	£5,650
	VCS2/RT	Rollers & feet, cover top	846 mm	0 kg	£5,650
	VCS2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£5,650
	VCS2/LT	Locking roller base, cover top	846 mm	0 kg	£5,790
	VCS2/SLT	Small locking roller base, cover top	836 mm	0 kg	£5,790
VLS Shallow Drawer Units W1100 x D700 mm Double drawer Catalogue 58	VLS2/HCT	High castors, cover top	846 mm	0 kg	£5,090
	VLS2/CT	Standard castors, cover top	775 mm	0 kg	£5,090
	VLS2/SCT	Small castors, cover top	754 mm	0 kg	£5,090
	VLS2/RT	Rollers & feet, cover top	730 mm	0 kg	£5,090
	VLS2/SRT	Small rollers & feet, cover top	720 mm	0 kg	£5,090
	VLS2/LT	Locking roller base, cover top	730 mm	0 kg	£5,230
	VLS2/SLT	Small locking roller base, cover top	720 mm	0 kg	£5,230
HCS A+ Energy Rating Fridge-only Side Engine Drawer Units W1100 x D700 mm Double drawer Catalogue p60	HCS2/HCT	High castors, cover top	962 mm	0 kg	£5,235
	HCS2/CT	Standard castors, cover top	891 mm	0 kg	£5,235
	HCS2/SCT	Small castors, cover top	870 mm	0 kg	£5,235
	HCS2/RT	Rollers & feet, cover top	846 mm	0 kg	£5,235
	HCS2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£5,235
	HCS2/LT	Locking roller base, cover top	846 mm	0 kg	£5,380
	HCS2/SLT	Small locking roller base, cover top	836 mm	0 kg	£5,380



SIDE ENGINE TWO DRAWER - UNDER COUNTER

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
COMBO 2-drawer units, combining variable temperature, standard & shallow drawers with fridge only standard depth drawers. Side engine W1100 x D700 mm Catalogue p63	SVS2/HCT VSS2/HCT	High castors, cover top	904 mm	0 kg	£5,380
	SVS2/CT VSS2/CT	Standard castors, cover top	833 mm	0 kg	£5,380
	SVS2/SCT VSS2/SCT	Small castors, cover top	812 mm	0 kg	£5,380
	SVS2/RT VSS2/RT	Rollers & feet, cover top	788 mm	0 kg	£5,380
	SVS2/SRT VSS2/SRT	Small rollers & feet, cover top	778 mm	0 kg	£5,380
	SVS2/LT VSS2/LT	Locking roller base, cover top	788 mm	0 kg	£5,520
	SVS2/SLT VSS2/SLT	Small locking roller base, cover top	778 mm	0 kg	£5,520
COMBO 2-drawer units, combining variable temperature, standard & shallow drawers with fridge only standard depth drawers. Side engine W1100 x D700 mm Catalogue p64	VAS2/HCT AVS2/HCT	High castors, cover top	962 mm	0 kg	£5,450
	VAS2/CT AVS2/CT	Standard castors, cover top	891 mm	0 kg	£5,450
	VAS2/SCT AVS2/SCT	Small castors, cover top	870 mm	0 kg	£5,450
	VAS2/RT AVS2/RT	Rollers & feet, cover top	846 mm	0 kg	£5,450
	VAS2/SRT AVS2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£5,450
	VAS2/LT AVS2/LT	Locking roller base, cover top	846 mm	0 kg	£5,590
	VAS2/SLT AVS2/SLT	Small locking roller base, cover top	836 mm	0 kg	£5,590
COMBO 2-drawer units, combining variable temperature, standard & shallow drawers with fridge only standard depth drawers. Side engine W1100 x D700 mm Catalogue p65	SAS2/HCT ASS2/HCT	High castors, cover top	904 mm	0 kg	£5,145
	SAS2/CT ASS2/CT	Standard castors, cover top	833 mm	0 kg	£5,145
	SAS2/SCT ASS2/SCT	Small castors, cover top	812 mm	0 kg	£5,145
	SAS2/RT ASS2/RT	Rollers & feet, cover top	788 mm	0 kg	£5,145
	SAS2/SRT ASS2/SRT	Small rollers & feet, cover top	778 mm	0 kg	£5,145
	SAS2/LT ASS2/LT	Locking roller base, cover top	788 mm	0 kg	£5,290
	SAS2/SLT ASS2/SLT	Small locking roller base, cover top	778 mm	0 kg	£5,290



MATCHBOX UNITS					
Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCM PREP COUNTER Pass Through Units W1120 x D710 mm Double drawer Catalogue p72	VCM2/HCW	High castor, solid worktop	971 mm	128 kg	£6,985
	VCM2/CW	Standard castor, solid worktop	900 mm	205 kg	£6,985
	VCM2/SCW	Small castor, solid worktop	879 mm	430 kg	£6,985
	VCM2/RW	Rollers & feet, solid worktop	855 mm	231 kg	£6,985
	VCM2/SRW	Small rollers & feet, solid worktop	845 mm	232 kg	£6,985
	VCM2/LW	Locking roller base, solid worktop	855 mm	204 kg	£7,130
	VCM2/SLW	Small locking roller base, solid worktop	845 mm	204 kg	£7,130
VCM UNDER COUNTER Pass Through Units W1120 x D710 mm Double drawer Catalogue p56	VCM2/HCT	High castors, cover top	962 mm	0 kg	£6,865
	VCM2/CT	Standard castors, cover top	891 mm	0 kg	£6,865
	VCM2/SCT	Small castors, cover top	870 mm	0 kg	£6,865
	VCM2/RT	Rollers & feet, cover top	846 mm	0 kg	£6,865
	VCM2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£6,865
	VCM2/LT	Locking roller base, cover top	846 mm	0 kg	£7,005
	VCM2/SLT	Small locking roller base, cover top	836 mm	0 kg	£7,005
VCM SINGLE CASSETTE Pass Through Units W1120 x D710 mm Single drawer Catalogue p28	VCM1/FBW	Flat base, solid worktop	428 mm	256 kg*	£3,790
	VCM1/FBT	Flat base, cover top	419 mm	0 kg	£3,675
VCM DOUBLE CASSETTE Pass Through Units W1120 x D710 mm Double drawer Catalogue p29	VCM2/FBW	Flat base, solid worktop	824 mm	233 kg*	£6,895
	VCM2/FBT	Flat base, cover top	815 mm	0 kg	£6,780

*Check weight capacity of cook range or other fabricated housing of the Adande Cassette unit



CASSETTE - UNITS TO BE BUILT INTO WORKSTATIONS - SINGLE DRAWER

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCS single Side Engine Drawer Units W1100 x D700 mm Catalogue p24	VCS1/FBW	Flat base, solid worktop	428 mm	301 kg*	£3,245
	VCS1/FBT	Flat base, cover top	419 mm	0 kg	£3,125
VLS single Shallow Drawer Units W1100 x D700 mm Catalogue p30	VLS1/FBW	Flat base, solid worktop	369 mm	301 kg*	£2,935
	VLS1/FBT	Flat base, cover top	360 mm	0 kg	£2,820
HCS A+ Energy Rating Fridge-only single Side Engine Drawer Units W1100 x D700 mm Catalogue p32	HCS1/FBW	Flat base, solid worktop	428 mm	301 kg*	£3,010
	HCS1/FBT	Flat base, cover top	419 mm	0 kg	£2,895
VCR single Rear Engine Drawer Units W878 x D885 mm Catalogue p26	VCR1/FBW	Flat base, solid worktop	428 mm	306 kg*	£POA
	VCR1/FBT	Flat base, cover top	419 mm	0 kg	£POA

CASSETTE - UNITS TO BE BUILT INTO WORKSTATIONS - TWO DRAWER

VCS double Side Engine Drawer Units W1100 x D700 mm Catalogue p25	VCS2/FBW	Flat base, solid worktop	824 mm	242 kg*	£5,750
	VCS2/FBT	Flat base, cover top	815 mm	0 kg	£5,635
VLS double Shallow Drawer Units W1100 x D700 mm Catalogue p31	VLS2/FBW	Flat base, solid worktop	708 mm	242 kg*	£5,190
	VLS2/FBT	Flat base, cover top	699 mm	0 kg	£5,070
HCS A+ Energy Rating Fridge-only double Side Engine Drawer Units W1100 x D700 mm Catalogue p33	HCS2/FBW	Flat base, solid worktop	824 mm	242 kg*	£5,330
	HCS2/FBT	Flat base, cover top	815 mm	0 kg	£5,215
COMBO 2-drawer units, combining variable temperature, standard & shallow drawers with fridge only standard depth drawers Side engine W1100 x D700 mm Catalogue p34	VSS2/FBW SVS2/FBW	Flat base, solid worktop	766 mm	242 kg*	£5,475
	VSS2/FBT SVS2/FBT	Flat base, cover top	757 mm	0 kg	£5,360
	AVS2/FBW VAS2/FBW	Flat base, solid worktop	824 mm	242 kg*	£5,585
	AVS2/FBT VAS2/FBT	Flat base, cover top	815 mm	0 kg	£5,470
	SAS2/FBW ASS2/FBW	Flat base, solid worktop	766 mm	242 kg*	£5,245
	SAS2/FBT ASS2/FBT	Flat base, cover top	757 mm	0 kg	£5,130
VCR double Rear Engine Drawer Units W878 x D885 mm Catalogue p27	VCR2/FBW	Flat base, solid worktop	824 mm	248 kg*	£POA
	VCR2/FBT	Flat base, cover top	815 mm	0 kg	£POA

*Check weight capacity of cook range or other fabricated housing of the Adande Cassette unit



REAR ENGINE - CHEF BASE UNITS - COLD COOKLINE

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCR Rear Engine Drawer Units W878 x D885 mm Single drawer Cool Cookline Catalogue p43	VCRI/HCW	High castors, solid worktop	574 mm	201 kg	£3,510
	VCRI/CW	Standard castors, solid worktop	503 mm	278 kg	£3,510
	VCRI/SCW	Small castors, solid worktop	482 mm	503 kg	£3,510
	VCRI/RW	Rollers & feet, solid worktop	458 mm	304 kg	£3,510
	VCRI/SRW	Small rollers & feet, solid worktop	448 mm	305 kg	£3,510
	VCRI/LW	Locking rollers, solid worktop	458 mm	277 kg	£3,650
	VCRI/SLW	Small locking rollers, solid worktop	448 mm	277 kg	£3,650
HCR A+ Energy Rating Fridge Only Rear Engine Drawer Units W878 x D885 mm Single drawer Cool Cookline Catalogue p49	HCRI/HCW	High castors, solid worktop	574 mm	201 kg	£3,250
	HCRI/CW	Standard castors, solid worktop	503 mm	278 kg	£3,250
	HCRI/SCW	Small castors, solid worktop	482 mm	503 kg	£3,250
	HCRI/RW	Rollers & feet, solid worktop	458 mm	304 kg	£3,250
	HCRI/SRW	Small rollers & feet, solid worktop	448 mm	305 kg	£3,250
	HCRI/LW	Locking rollers, solid worktop	458 mm	277 kg	£3,390
	HCRI/SLW	Small locking rollers, solid worktop	448 mm	277 kg	£3,390

REAR ENGINE - CHEF BASE UNITS - HOT COOKLINE

VCR Rear Engine Drawer Units W878 x D885 mm Single drawer Hot Cookline Catalogue p42	VCRI/HCHS	High castors, heat shield	616 mm	196 kg	£3,765
	VCRI/CHS	Standard castors, heat shield	545 mm	273 kg	£3,765
	VCRI/SCHS	Small castors, heat shield	524 mm	498 kg	£3,765
	VCRI/RHS	Rollers & feet, heat shield	501 mm	299 kg	£3,765
	VCRI/SRHS	Small rollers & feet, heat shield	491 mm	300 kg	£3,765
	VCRI/LHS	Locking rollers, heat shield	501 mm	272 kg	£3,905
	VCRI/SLHS	Small locking rollers, heat shield	491 mm	272 kg	£3,905
HCR A+ Energy Rating Fridge Only Rear Engine Drawer Units W878 x D885 mm Single drawer Hot Cookline Catalogue p48	HCRI/HCHS	High castors, heat shield	616 mm	196 kg	£3,480
	HCRI/CHS	Standard castors, heat shield	545 mm	273 kg	£3,480
	HCRI/SCHS	Small castors, heat shield	524 mm	498 kg	£3,480
	HCRI/RHS	Rollers & feet, heat shield	501 mm	299 kg	£3,480
	HCRI/SRHS	Small rollers & feet, heat shield	491 mm	300 kg	£3,480
	HCRI/LHS	Locking rollers, heat shield	501 mm	272 kg	£3,625
	HCRI/SLHS	Small locking rollers, heat shield	491 mm	272 kg	£3,625

REAR ENGINE - UNDER COUNTER

VCR Rear Engine Drawer Units W878 x D885 mm Single drawer Under Counter Catalogue p54	VCRI/HCT	High castors, cover top	565 mm	0 kg	£3,385
	VCRI/CT	Standard castors, cover top	494 mm	0 kg	£3,385
	VCRI/SCT	Small castors, cover top	473 mm	0 kg	£3,385
	VCRI/RT	Rollers & feet, cover top	449 mm	0 kg	£3,385
	VCRI/SRT	Small rollers & feet, cover top	439 mm	0 kg	£3,385
	VCRI/LT	Locking roller base, cover top	449 mm	0 kg	£3,530
	VCRI/SLT	Small locking roller base, cover top	439 mm	0 kg	£3,530



REAR ENGINE - FRIDGE ONLY - UNDER COUNTER

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
HCR A+ Energy Rating Fridge Only Rear Engine Drawer Units W878 x D885 mm Single drawer Under Counter Catalogue p61	HCR1/HCT	High castors, cover top	565 mm	0 kg	£3,125
	HCR1/CT	Standard castors, cover top	494 mm	0 kg	£3,125
	HCR1/SCT	Small castors, cover top	473 mm	0 kg	£3,125
	HCR1/RT	Rollers & feet, cover top	449 mm	0 kg	£3,125
	HCR1/SRT	Small rollers & feet, cover top	439 mm	0 kg	£3,125
	HCR1/LT	Locking roller base, cover top	449 mm	0 kg	£3,270
	HCR1/SLT	Small locking roller base, cover top	439 mm	0 kg	£3,270

REAR ENGINE TWO DRAWER - SOLID WORKTOP - PREP COUNTER

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCR Rear Engine 2-Drawer Units W878 x D885 mm Catalogue p71	VCR2/HCW	High castor, solid worktop	971 mm	143 kg	£6,070
	VCR2/CW	Standard castor, solid worktop	900 mm	220 kg	£6,070
	VCR2/SCW	Small castor, solid worktop	879 mm	445 kg	£6,070
	VCR2/RW	Rollers & feet, solid worktop	855 mm	246 kg	£6,070
	VCR2/SRW	Small rollers & feet, solid worktop	845 mm	247 kg	£6,070
	VCR2/LW	Locking roller base, solid worktop	855 mm	219 kg	£6,210
	VCR2/SLW	Small locking roller base, solid worktop	845 mm	219 kg	£6,210
HCR A+ Energy Rating Fridge-only Rear Engine 2-Drawer Units W878 x D885 mm Catalogue p75	HCR2/HCW	High castor base, solid worktop	971 mm	143 kg	£5,765
	HCR2/CW	Standard castors, solid worktop	900 mm	220 kg	£5,765
	HCR2/SCW	Small castors, solid worktop	879 mm	445 kg	£5,765
	HCR2/RW	Rollers & feet, solid worktop	855 mm	246 kg	£5,765
	HCR2/SRW	Small rollers & feet, solid worktop	845 mm	247 kg	£5,765
	HCR2/LW	Locking roller base, solid worktop	855 mm	219 kg	£5,930
	HCR2/SLW	Small locking roller base, solid worktop	845 mm	219kg	£5,930
COMBO 2-drawer units, combining variable temperature, standard & shallow drawers with fridge only standard depth drawers Rear engine W878 x D885 mm Catalogue p79	VAR2/HCW AVR2/HCW	High castors, solid worktop	971 mm	143 kg	£5,845
	VAR2/CW AVR2/CW	Standard castors, solid worktop	900 mm	220 kg	£5,845
	VAR2/SCW AVR2/SCW	Small castors, solid worktop	879 mm	445 kg	£5,845
	VAR2/RW AVR2/RW	Rollers & feet, solid worktop	855 mm	246 kg	£5,845
	VAR2/SRW AVR2/SRW	Small rollers & feet, solid worktop	845 mm	247 kg	£5,845
	VAR2/LW AVR2/LW	Locking roller base, solid worktop	855 mm	219 kg	£5,990
	VAR2/SLW AVR2/SLW	Small locking roller base, solid worktop	845 mm	219 kg	£5,990



REAR ENGINE TWO DRAWER – UNDER COUNTER

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCR Rear Engine Drawer Units W878 x D885 mm Catalogue p55	VCR2/HCT	High castors, cover top	962 mm	0 kg	£5,935
	VCR2/CT	Standard castors, cover top	891 mm	0 kg	£5,935
	VCR2/SCT	Small castors, cover top	870 mm	0 kg	£5,935
	VCR2/RT	Rollers & feet, cover top	846 mm	0 kg	£5,935
	VCR2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£5,935
	VCR2/LT	Locking roller base, cover top	846 mm	0 kg	£6,105
	VCR2/SLT	Small locking roller base, cover top	836 mm	0 kg	£6,105
HCR A+ Energy Rating Fridge Only Rear Engine Drawer Units W878 x D885 mm Catalogue p62	HCR2/HCT	High castors, cover top	962 mm	0 kg	£5,640
	HCR2/CT	Standard castors, cover top	891 mm	0 kg	£5,640
	HCR2/SCT	Small castors, cover top	870 mm	0 kg	£5,640
	HCR2/RT	Rollers & feet, cover top	846 mm	0 kg	£5,640
	HCR2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£5,640
	HCR2/LT	Locking roller base, cover top	846 mm	0 kg	£5,810
	HCR2/SLT	Small locking roller base, cover top	836 mm	0 kg	£5,810
COMBO 2-drawer units, combining variable temperature, standard & shallow drawers with fridge only standard depth drawers Rear engine W878 x D885 mm Catalogue p66	VAR2/HCT AVR2/HCT	High castors, cover top	962 mm	0 kg	£5,715
	VAR2/CT AVR2/CT	Standard castors, cover top	891 mm	0 kg	£5,715
	VAR2/SCT AVR2/SCT	Small castors, cover top	870 mm	0 kg	£5,715
	VAR2/RT AVR2/RT	Rollers & feet, cover top	846 mm	0 kg	£5,715
	VAR2/SRT AVR2/SRT	Small rollers & feet, cover top	836 mm	0 kg	£5,715
	VAR2/LT AVR2/LT	Locking roller base, cover top	846 mm	0 kg	£5,885
	VAR2/SLT AVR2/SLT	Small locking roller base, cover top	836 mm	0 kg	£5,885



VCC – COMPACT DEEP ONE DRAWER UNIT

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCC Compact drawer W450 mm x D800 mm Catalogue p86	VCC1/DCT	Double castors, cover top	845 mm	0 kg	£3,390
	VCC1/HCW	High castors, solid worktop	948 mm	223 kg	£3,390
	VCC1/GCW	General castors, solid worktop	900 mm	294 kg	£3,390

SALADETTE – ADANDE INTEGRATED SALADETTE

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCS2 Saladette – double drawer side engine – S2 Catalogue p83	VCS2/CW/S2	Standard castors, solid worktop	1160 mm	-	£7,125
VSS2 Combo Saladette – standard above shallow side engine – S2	VSS2/CW/S2	Standard castors, solid worktop	1102 mm	-	£6,705
S2 standard saladette (W945 x D389 x H260 mm)					Specify at time of order
S2 Standard worktop D740 mm – 342 mm plating up space in front of saladette					
S2 – 800 Extended worktop D800 mm – 402 mm plating up space in front of saladette					

BULK STORAGE – THREE DRAWER BULK STORAGE

Product Name	Product Code	Description	Finished Height	Weight Loading	List Price
VCS Side Engine Drawer Units W1100 x D700 mm Catalogue p90	VCS3/CT	Standard castors, cover top	1288 mm	0 kg	£8,200
	VCS3/CW	Standard castors, solid worktop	1297 mm	155 kg	£8,315
VLS Shallow Drawer Units W1100 x D700 mm Catalogue p92	VLS3/CT	Standard castors, cover top	1114 mm	0 kg	£7,385
	VLS3/CW	Standard castors, solid worktop	1123 mm	155 kg	£7,500
HCS A+ Energy Rating Fridge-only Side Engine Drawer Units W1100 x D700 mm Catalogue p93	HCS3/CT	Standard castors, cover top	1288 mm	0 kg	£7,580
	HCS3/CW	Standard castors, solid worktop	1297 mm	155 kg	£7,695
VCR Rear Engine Drawer Units W878 x D885 mm Catalogue p91	VCR3/CT	Standard castors, cover top	1288 mm	0 kg	£8,600
	VCR3/CW	Standard castors, solid worktop	1297 mm	162 kg	£8,720
HCR A+ Energy Rating Fridge Only Rear Engine Drawer Units W878 x D885 mm Catalogue p94	HCR3/CT	Standard castors, cover top	1288 mm	0 kg	£7,960
	HCR3/CW	Standard castors, solid worktop	1297 mm	162 kg	£8,075



FACTORY FITTED OPTIONS (available only at time of order)

Product Name	Product Code	Description	List Price
Blast chill	BC	VCS units only & hydrocarbon refrigerant R290	£1,155
Upstand	US	Upstand to suit standard size solid worktop (excludes VCM)	£60
Extended upstand	EUS	To match the size of the extended worktop (excludes VCM & VCC)	£140
Extended worktop	EW	Max 200 mm left, 200 mm right & 150 mm (excludes VCC)	£370
Extended heat shield	EHS	Max 200 mm left, 200 mm right & 150 mm (excludes VCM & VCC)	£515
Drawer lock	DL	Suitable with all models	£165
Levelling feet	LC	Set of 4 - standard castor base only (excludes VCC)	£185
Fryer station worktop	FR2	2 Deep fry basket hangers (for VCC only)	£495
	FR4	4 Deep fry basket hangers (excludes VCM)	VCC - £515 VCS, VLS, HCS - £750 VCR, HCR - £495
Worktop grab handles	HI	To be welded to solid or heat shield worktops (excludes VCM & VCC)	£275

GANTRY OPTIONS - FACTORY FITTED

Product Name	Product Code	Description	List Price
Single shelf gantry on solid worktop		Single shelf gantry on solid worktop W1100 x D700 mm	
	M2	Shelf dimensions: W1100 x D469 x H365 mm above worktop	£1,090
Single shelf gantry on extended worktop		Single shelf gantry on extended solid worktop - W1700 x D700mm	
	M3	Right hand extension - shelf dims W1700 x D469 x H365mm above worktop	£2,365
	M5	Left hand extension - shelf dims W1700 x D469 x H365mm above worktop	£2,365
Double plate shelf gantry on solid worktop		Double plate shelf gantry on solid worktop W1100 x D700 mm	
	G1	Plate gantry dims: W1089 x D250 x H750 mm bottom shelf at 450 mm & top shelf at 750 mm above worktop	£1,485



DRAWER MANAGEMENT ACCESSORIES

Product Name	Product Code	Description	List Price
Gastronorm pan rack	RG	Standard depth drawers	£130
	RL	Shallow depth drawers	£130
Drawer dividers	DD	Standard depth drawers	£35
	LD	Shallow depth drawers	£35
White insulated container	DT	Standard depth drawers	£300
	DS	Shallow depth drawers	£440
	DM	Matchbox drawers	£495
	DC	Compact deep drawer	£440
Beaker rack	PB	Holds 12 pacojet beakers (not suitable for HCS, HCR or VCC)	£65
Gastronorm pans	GN	Stainless steel, polycarbonate or polypropylene GN pans available - POA	



Bora

Powered by
Aircell[®]

Stainless and Black Bora cabinets	
Description	List Price
Aircell Bora integral food-to-go cabinet 1960 mm (H) x 1330 mm (W) x 765 mm (D), Brushed stainless or black finish (black shelves), Solid end walls in standard product - Glazed end walls as option, Vertical LEDs incorporated into end panels, R290 - 150grams of refrigerant. Single system, Night blind and ticket strips included. Castors and levelling feet included.	£6,750
Standard Options - available with the above	
Marketing Board (Perspex sheets with two stands)	POA
Non - Standard Product - Factory Orders	
As standard, but with glass end walls and vertical LED	£6,850
As standard, but with mirrored end walls and vertical LED	£6,850
Mirrored stainless finish (shelves black)	£6,995
As standard Bora, but painted in selected RAL colour	£6,750
"Selected" colours RAL7016 (Anthracite), RAL9006 (White Aluminium), RAL1021 (Yellow), RAL5010 (Blue), RAL3020 (Red)	
Non - Standard Options - available with the above (additional cost)	
Security shutter (increases finished height)	£750
4-Tier Shelf LED Light fitting	POA
Painted to non standard RAL colour	£225
Packaging	
Packaging per cabinet	TBD
Delivery	
UK Mainland Delivery, position onsite, normal hours - 1-3 cabinets (per load)**	POA
UK Mainland Delivery, position onsite, normal hours - 4-6 cabinets (per load)**	POA
Additional UK Mainland Premium night out (deliveries - Cornwall, Wales, Scotland)	POA
Deliveries outside mainland UK	POA
**Excludes tolls, ferries, parking fees, out of hours.	



Bora

Powered by
Aircell[®]

Standard Product - White Bora cabinet	
Description	List Price
Aircell Bora integral food-to-go cabinet 1960 mm (H) x 1330 mm (W) x 765 mm (D), Solid end walls in standard product - Glazed end walls as option, Vertical LEDs incorporated into end panels, R290 - 150grams of refrigerant. Single refrigerant system, Night blind and ticket strips included. Levelling feet	£6,350

Standard Options - available with the above	
Marketing Board (Perspex sheets with two stands)	POA
Castors	£75

Non - Standard Product - Factory Orders	
As standard, but with glass end walls and vertical LED	£6,430
As standard, but with mirrored end walls and vertical LED	£6,430
Non - Standard Options - available with the above (additional cost)	
Security shutter (increases finished height)	£750
4-Tier Shelf LED Light fitting	POA

Packaging	
Packaging per cabinet	TBD

Delivery	
UK Mainland Delivery, position onsite, normal hours - 1-3 cabinets (per load)**	POA
UK Mainland Delivery, position onsite, normal hours - 4-6 cabinets (per load)**	POA
Additional UK Mainland Premium night out (deliveries - Cornwall, Wales, Scotland)	POA
Deliveries outside mainland UK	POA
**Excludes tolls, ferries, parking fees, out of hours.	



DRAWER UNIT TYPE

VCS	Standard Drawer (side engine - rectangular footprint)
VCR	Standard Drawer (rear engine - square footprint)
VCM	Matchbox or 'Pass Through' Drawer (side engine - rectangular footprint)
VCC	Compact Drawer (rear engine - narrow footprint)
VLS	Shallow Drawer (side engine - rectangular footprint)
HCS	A+ Fridge Drawer (side engine - rectangular footprint)
HCR	A+ Fridge Drawer (rear engine - square footprint)
LS	Saladette (side engine saladette unit - rectangular footprint)
1, 2 or 3	Number of Drawer units in a stack, for example, VCS2 means two VCS Drawers, stacked one on top of the other VCRI refers to a single rear engine Drawer unit
VSS2	Combo unit: Standard above Shallow Drawer (side engine - rectangular footprint)
SVS2	Combo unit: Shallow above Standard Drawer (side engine - rectangular footprint)
VAS2	Combo unit: Standard above A+ Fridge (side engine - rectangular footprint)
AVS2	Combo unit: A+ Fridge above Standard Drawer (side engine - rectangular footprint)
SAS2	Combo unit: Shallow Drawer above A+ Fridge (side engine - rectangular footprint)
ASS2	Combo unit: A+ Fridge above Shallow Drawer (side engine - rectangular footprint)
VAR2	Combo unit: Standard above A+ Fridge (rear engine - square footprint)
AVR2	Combo unit: A+ Fridge above Standard Drawer (rear engine - square footprint)

BASES FOR ADANDE DRAWER UNITS

C	Standard Castor Base
LC	Levelling Castor Base (only with Standard Castor Base units)
SC	Small Castor Base
DC	Double Castor Base (Compact units only)
GC	General Castor Base (Compact units only)
HC	High Castor Base (fitted to most Adande® Chef Base drawer units)
R	Roller & Feet Base (under-counter applications)
SR	Small Roller & Feet Base (under-counter applications)
L	Locking Rollers (under-counter applications)
SL	Small Locking Rollers (under-counter applications)
FB	Flat Base (for suiting drawer units, cassette style, into a range or counter)

REFRIGERANT

R5	R290 Refrigerant (Blast Chill only)
R2	R600a Hydrocarbon Refrigerant

TOPS FOR ADANDE DRAWER UNITS

T	Cover Top or Biscuit Tin Lid (non load bearing surface)
W	Solid Worktop (load bearing)
HS	Heat Shield Top (protects worktops exposed to temperatures up to 200°C)
EW	Extended Worktop
EHS	Extended Heat Shield Tops
US	Upstand (fitted to the back of 'W' or 'HS' top)
EUS	Extended Upstand (for 'W' & 'HS' tops)



ABOVE THE WORKTOP OPTIONS

M2	Single Shelf Gantry fixed to Solid Worktop
M3	Single Shelf Gantry fixed to Extended Worktop (extended to the right)
M5	Single Shelf Gantry fixed to Extended Worktop (extended to the left)
G1	Double Shelf Plate Gantry fixed to Solid Worktop

MISCELLANEOUS OPTIONS (Factory fitted)

BC	Blast Chill (VCS units only)
DL	Drawer Locks
HI	Grab Handles (fitted to Chef Base units, making them easier to pull out for cleaning)
FR2	Fry Basket Rack with 2 hangers and drip tray (VCC only)
FR4	Fry Basket Rack with 4 hangers and drip tray (VCC, VCS, VCR, HCS, HCR & VLS units)
CO	Can Opener (fitted to units with Solid Worktops only)

ACCESSORIES

RG	Gastronorm Pan Racks (VCS, VCR, VCM, HCS & HCR units)
RL	Gastronorm Pan Racks (VLS Shallow Drawer only)
DD	Drawer Divider (VCS, VCR, VCM, HCS & HCR units)
CD	Drawer Divider (VCC Compact only)
LD	Drawer Divider (VLS Shallow Drawer only)
DT	Insulated Drawer Container (VCS, VCR, HCS & HCR units)
DM	Insulated Drawer Container (VCM Matchbox)
DC	Insulated Drawer Container (VCC Compact)
DS	Insulated Drawer Container (VLS Shallow Drawer)
PB	Wire Rack to hold 12 Pacojet Beakers (not suitable for A+ Drawers)



Notes

A large, empty light blue rectangular area intended for notes.



Adande® Refrigeration

Registered Office: 45 Pinbush Road | South Lowestoft Industrial Estate | Suffolk | NR33 7NL | UK
Tel: +44 (0) 1502 537135 | Fax: +44 (0) 1502 533794 | Email: sales@adande.com | www.adande.co.uk